
TELAS PARA PENEIRAS VIBRATÓRIAS ESPECIFICAÇÕES TÉCNICAS







40 ANOS DESENVOLVENDO TELAS METÁLICAS



TABELA DE ABERTURA DE MALHA QUADRADA

MALHAS		FIO	ÁDEA
POL.	mm	mm	ÁREA LIVRE %
1/16"	1,58	1,40	210,8
3/32"	2,38	1,40	36,90
- /	0.17	2,00	37,50
1/18"	3,17	2,40	32,30
		2,70 2,00	29,10
5/32"	3,96	2,40	44,10 38,70
		2,70	35,30
		3,00	32,30
3/16"	4,76	2,00	49,50 44,10
		2,40	
		2,70	40,70
		3,00	37,60
		3,40 3,90	34,00 30,20
	5,55	2,00	54,00
		2,40	48,70
7/32"		2,70	45,20
1/32		3,00	42,10
		3,40	38,40
		3,90	34,40
		2,40 2,70	52,60
- (6,35	3,00	48,10 46,10
1/4"		3,40	42,40
		3,90	38,30
		4,50	34,30
		3,00	52,60
5/16"	7,93	3,40	48,90
,		3,90	44,90 40,80
3/8"	9,52	4,50 3,90	50,30
		4,50	46,10
		4,90	43,50
		5,40	40,70
		5,90	38,10
7/16"	11,11	3,90 4,50	54,70 50,70
		4,90	48,10
7/10		5,40	45,20
		5,90	42,60
	12,70	3,90	58,50
1 (0"		4,50	54,50
1/2"		4,90	52,00
		5,40 5,90	49,20 46,60
		4,50	60,70
	15,88	4,90	58,30
5/8"		5,40	55,60
		5,90	53,10
		6,35	51,00
	19,05	4,50 4,90	65,50 63,20
		5,40	60,70
3/4"		5,90	58,20
		6,35	56,30
		7.93	49,80
		9,52	44,40
	22,23	4,50 4,90	69,20
		5,40	67,10 64,70
7/8″		5,90	62,40
		6,35	60,50
		7,93	54,30
		9,52	49,00
1"	25,40	4,90	70,20
		5,40	68,0

LA DE AB	ERTUR!	A DE MA	ALHA QI
MAI	HAS	FIO	ÁREA LIVRE %
POL.	mm	mm	LIVRE %
		5,90	65,80
1"	25,40	6,35 7,93	64,00 58,00
•	23,40	9,52	52,90
	28,57	4,90	72,80
1,1/8"		5,40 5,90	70,70 68,70
		6,35	66,90
		7,93 9,52	61,20
	31,75	9,52 4,90	56,30 75,00
		5,40	73,00
1,1/4"		5,90	71,10
		6,35 7,93	69,40 64,00
		9,52	59,20
		11,11	54,80
		6,35 7,93	71,60 66,40
1,3/8"	34,92	9,52	61,70
-,-, -	,	11,11	57,60
		12,70	63,80
		6,35 7,93	73,40 68,50
1,1/2"	38,10	9,52	64,00
		11,11	59,90 56,30
		12,70 6,35	75,10
		7.93	70,30
1,5/8"	41,28	9,52	66,00
		11,11 12,70	62,00 58,40
		7,93	71,90
1,3/4"	44,45	7,93 9,52	67,80
, ,	,	11,11 12,70	64,00 60,50
		7,93	74,80
2″	50,80	9,52	70,90
	,	11,11 12,70	67,30 64,00
		7,93	77,10
0 1 /4"	57,15	9,52	73,40
2, 1/4"		11,11 12,70	70,10 66,90
		15,70	61,20
	63,50	7,93	79,00
2, 1/2"		9,52 11,11	75,60 72,40
		12,70	69,40
	69,85	7,93	80,60
2, 3/4"		9,52 11,11	77,40 74,40
-, -, -		12,70	71,60
		15,88	66,40
3″	76,20	12,70 15,88	73,50 68,50
	,	19,05	64,00
3, 1/4"	82,55	12,70	75,00 70.30
		15,88 9,52	70,30 81,60
3, 1/2"	88,90	12,70	76,60
J, 1/ L		15,88	72,00
3, 3/4"	95,25	19,05 11,11	67,80 80,20
		12,70	77,90
		15,88	73,50
		19,05 12,70	69,40 79,00
4"	101,60	15,88	47,80
		19,05	70,90







ACABAMENTOS LATERAIS



Para Fios de 1,2mm até 6,4mm Ø

~~~~~ GC - Gancho com Capa



GCB - Gancho com Capa e Borracha

Outros Acabamentos Sob Consulta





(11) 3326-3140 - (11) 3228-3377 | vendas@teciam.com.br | www.teciam.com.br (11) 9 9469-3618

